REFERENCES

Ahmed S.E*, Kamelia E.S and Moemena M. (2011) Effect of ethanol extract of *Dalbergiasisssoo*plant parts on *Biomphalariaalexandrina* snail, the intermediate host of *Schistosomamansoni.* Journal of Evolutionary Biology Research 3(7):95-100.

Bailey S.E.R. (2002). Molluscicidal bait for control of terrestrial gastropods.In :Molluscs as crop pest (ed. G.M. barker,), CAB International, London pp. 33 54.

Berg C.O. (1976) Medically important snails. In Huffacker C.B.: Theory and Practices of Biological control. University of California.Berkelas.1050, Albany, California.

Bhatlawande S.E. (1989) Effect of pesticides exposure on ecobiology of a land snail,*Cerastusmoussonianus,* PhD. Thesis, Marathwada University, Aurangabad, India PP 1-145

Biswas, G (1991) Snail borne diseases and their role in veterinary public health.In ; Snails. Flukes and man (Ed. Director, Zoological Survey of India,) pp.73-78 (ZSI Kolkata, India).

Bretschneider L.H. (1948) The mechanism of oviposition in Lymnaeastagnalis Proc. Kon. Ned. Akad. Wet; 51; 616-626.

Brooke BD, Humb R.H.K.LL, Dossou-Y.J,Coetzee M (2000)Evaluation of a polymerized chain reaction assay for detection of pyrethroid insecticideresistance in the malaria vector species of the *An. gambiae*complex.J.Am.MosqControl. Assoc. 15: 565-568.

Chaudhary R.D., Kulkarni S.B. and MagareS.R. (1993) Effect of Monocrotophs on theprotein Metabolism of a terrestrial snail,*Zootecusinsularis.* J, Ecotox. Envi.Mont. 3(2) 157-159

Colin G Paterson (1985) Aggregation effects on respirationin the PulmonateSnail,Helisomaancepsfreshwater invertebrate Biology, 4,3 (Aug, 1985), 143-146.

Chen,D.J, Fan, C.Z., Yang, Z., and Yang, H.M. (1986); First report of *SchistosomaSpindale* in Yanan Province. Journal of Parasitological and Parasitic Diseases. 4. 296.

Dreistadt S.H.; ClarkT.K.and FlintM.L. (1994);Pests of landscape trees and shrubs; An integrated pest management guide. PP 8-12

Durand R.J.M. .Figured and E. Mendosa (1999) : Intoxication in cattle from Cestrum nocturnum Vet. Hum./Toicology 41:26-27.

El.Bolkiny Y.E., M. L. Salem,W. Y. , Atlia and I. M Al-shurkawi. (1997) Toxicological Study of *Amminajus* as a plant molluscicide on the hemolytic journal of Egyptian Ferman Society of Zoology, 23. 379-401.

Firas A. Khdier(2012) The Study of the effect of some medical plant extracts on snail,*Lymnaeaauriculari*Journal of KerbalaUniversity , Vol. 10 No.1 Scientific 177

Galgan F; Cornwall R.; Tooney B.H.; Epel D.D.,(1996) Interaction of Environmental xenobiotics with a multixenobiotic defense mechanism in the bay mussel, *Mytilusgalioprovincillis* from the coast of California. Wnv. Toxicol.And Chfem. 15 (3) : 325-331

Giese A.C. (1969)A new approach to the biochemical composition of the molluscsbody.Ocengra.Mar. Biol. Ann. Rev. 7: 17-229.

Getzinl.W. (1965) Control of the grey garden slug with bait formulations of Carbamatemolluscicide, J. Econ.Entoml. 58. 158-59.

Godan D. (1983). Pest Slugs and snails, PringerVerlag, Berlin Heidelberg, new York PP 1-246

Hagele B.F., Wildi.E., Jarmatha J., Pavlik M., Rowell-Rahier M (1998) Long term effects on food choice o land snail, *Ariantaarbustorum* mediated bypetasinandfuranopetasin, two sequiterpenes from Petasites*hybridus*. Journal of Chemical ecology 24 (11): 1733-1743.

HairstonN.G.; Wurzinger K.H. and Burch J. B. (1975) Non chemical methods ofsnail Control. WHO IV BC 75. 573 WHO/schisto 175,40.

Hunter P.J. (1968) Studies on slugs of erable ground II life cycles. Malacologia, 6 ;379-389

Joosee J. (1984) Seasonality of reproduction in a mollusk.: the central role of Neuroendocrin system in the reproductive strategy of the snail, *LymnaeaStagnalis.* In:

Wndocrinology.Lewis. R.D. (1969). Studies on the locomotors activity of the slug, *Arionater* (L) in humidity, temperature and light reaction, Malacologia, 7P 295-306..

Kulkarni A.B. (1973) The anatomy and histology of the reproductive system of the land Slug, *Laevicauisalte*, Marthawadauniversity, j. Sci. 12 (5): 60-69.

Kulkarni A.B(1981) Glycogen and lipid content in hepatopancreasand reproductive system of land slug, *laevicaulisalte.*Rivista di Biologia 74 (1 and 2): 191-193

Knutson L.V. (1976) Sciomyzid flies, Another Approach to Biological Control of Snail-Borne Disease. Insect WLD. Digest 3, 13-18.

Laviolette P. (1954); Role de la maturite gonad lanslas determination humoarale de la maturiteglandularie du tract.Genital chez quelques gastropods. Bull. Biol. 88; 310-332.

Mahajan R.T., JawaleS.M.,ChowbeyS.M., and DeshmukhU.V. (1991) metabolic changes in fish, nemacheilussinuatus on exposure to plant toxicants .Academy of Env.Biol., pp83-90.

Magare S.R. (1992) Laboratory evaluation of pisicidal activity of some medicinal plants in a fish, *Nemacheilussinuatus.Pro. Acad. Environ. Biol. 1.(1), 53-56.*

Magare S.R. (1993) Effects of pesticide hygro in prostate gland of snail, *Cerastusmoussonianus.* J. Ecotoxicol. And Env. Mon. 3(1): 59-60.

Magare S.R. (1995). Fluctuations in the haemolymph glucose level of the land snail, *Cerastusmoussonianus* exposed to paratox and Hygro.

Magare S.R. and Kulkarni A.B. (1993) Biochemical changes in reproductive tract organs of a snail,*Cryptozonasemirugata* during starvation. Env.And Ecol. 11(4), 912-915.

Magare S.R. and Kulkarni A.B. (1994) Effect of starvation, aestivation and PH on biochemical contents of the land snail, *Cerastusmoussonianus.*Geobios, 20: 136-139

Magare S.R. and Kulkarni A. B. (1995) Effect of paradox on the brain neurosecretoryprofile of the Snail, *Cerastusmoussonianus.* ; Bull. Ass. Zool. 2(1); 47-51.

Magare S.R. (2007) Biodiversity of freshwater molluscs from Satpudamountains and Tapiriver with reference to vector snails Flora and Fauna 13(1); 164.

Magare S.R. (2010) Alterations in glycogen and protein contents in the freshwater fish, *Barbusticto* due to Toad poiso, jour, Chemo and Biosphere.1;73-77

Magare S.R. (2011) Toxicity of pesticide Canon on glycogen metabolism to the vector snail, Lymnaealuteola. FLORA AND FAUNA 17(2);351-354.

Magare S.R. (2011) Studies on toxic effect of toad poison on respiration and glycogen metabolism to the vector snail, *Lymnaealuteola*Res.Jour.ofK.A.A.N.H.S, college,satana PP 71-74

Magare S.R. and Patil R.D. (2007) Biochemical alterations in the reproductive organs of aquatic snails *Viviparous* (*Bellamya*) *bengalensis* due to Fentin Acetate Intoxication. Env.& Eco. 25(1); 225-228

Magare S.R. and Vasave M (2011) Toxicity of pesticide canon on glycogen metabolism to the vector snail, *Lymnaealuteola.*Flora and Fauna. Vol. 17 No.2 PP 351-354.

Malek, E.A. and Cheng T.C.(1974)'Medicinal and Economic Malacology', (Academic press : New York.)

Mead A.R. (1961) The Giant African Snail; A problem in economic Malacology, Univ, Chicago Press. Chicago. Illinois, USA. PP 1-257

Meenakshi. V.R. (1956)a. Studies on the physiology of *Pilavirens* (Lamarck) with special reference to aestivation. Ph.D. Thesis, Annamalai University, Annamalainagr.PP 1-225

Meenakshi.V.R. (1956)b. Seasonal variations in the glycogen and fat content in the aple Snail, *Pilavirens* (Lamark) J. Zool. Soci.India/ 6.57-62.

Narayanan R. and P Venkatesvara.Rao (1983) Effect of xiphidiocercarial infection on the tissue metabolism of the Gastropod snail, host *Lymnaealuteola*. Brazilian PP 43-48

Nathan SS, Kandaswamy K, Kadarkarai(2005)Effect of neemlimonoids on the malaria vector*Anophelesstephensi*Liston (Diptera: Culicidae).PP 45-48

Patil R.D. and MagareS.R.(2007) Toxic effect of extract of Leaves of Xestrumnoctunumon respiration of the freshwater gastropod *Lymnaealuteola.* Aquaculture..179-183

Pelluet.D. (1957) The effect of temperature on the ascorbic acid contents of the ovotestis of the slug, *Arionsubfuscus.* Can. J. Zool. 35, 609-613.

Peterson G.H. (1964)*Arianta arbustorum* (Linne.) (Molluscae Helicidae) in Denmark Vidensk. Meddel. Dansk Naturalist. ForenKobenhavan 127, 295-302.

Perrett, S. and P. J. Whitfield, (1996) In vitro cercaricidal activity of schistosomiasis.Journal of parasitology, 52-617.

Rawi, S.M., H. El-Gindy,Haggag A.M, Anbou E.H and A. Abdel K., (1995). New possible molluscicides from Calendula micranthaofficinalis and *Ammlmajus*plants.I. physiological effect on B. alexandrinaanxb.truncatus. journalof Egyptian German Society of Zoology. 16. 69-75.

Runham N.W. and Hunter P.J. (1970)"Terrestrial Slugs", Hutchinson Universitylibrary.London.PP 1-275

Snow RW, Guerra CA, Noor AM, Myint HY, Hay SI (2005)The global distribution of clinical episodes of *Plasmodium falciparum* Malaria. Nature,434: 214-217.

Schall VT, Vasconcellos MC, Souza CP, Baptista DF (1998). The molluscicidal activity of 'Crown of Christ' (*Euphorbia splendens*var. *hislopii*) latex on snails acting as intermediate hosts of *Schistosomamansoni*and*Schistosomahaematobium*. Am. J. Trop. Med. Hy., 58(1): 7-10.